

FEATURES

- 25/8" or 2" Thick with Overlay with Full Thermal Break
- 0.081 Tested U-Factor (9200 Models); 0.096 Tested U-Factor (9600 Models)
- Environmentally Compliant Polyurethane Insulation
- 26-Gauge Galvanized Steel
- Polyurethane Overlay Boards
- 15 Base & Overlay Colors
- 12 Door Designs
- 10 Window Options
- 4 Impact Polycarbonate Glazing Options
- Available with Wind Load & Impact Options
- Industry Leading Warranty
 - Lifetime Rust-Through & Delamination
 - 10 Year Finish
 - 6 Year Hardware
 - 5 Year Overlay Delamination
 - 3 Year Spring
 - 1 Year All Other Components









A **Full Thermal Break** is used in the tongue-and-groove construction of all 9000 series doors. This rigid vinyl extrusion seals the joints and eliminates metal-to-metal contact, which limits the transfer of temperature.

9200 series doors include **Air Infiltration Seals**, which exceed the ASHRAE 90.1 Standard when installed with standard bottom seal and commonly available rigid/flexible vinyl door stop.

Single Door Designs



9220/9620 Plain



9221/9621 Plain



9222/9622 Plain





9241/9641 Plain



9242/9642 Plain



9230/9630 Arch







9250/9650 Arch 9251/9651 Arch









Double Door Designs



9220/9620 Plain (9230/9630 Arch)



9221/9621 Plain (9231/9631 Arch)



9222/9622 Plain (9232/9632 Arch)



9240/9640 Plain (9250/9650 Arch)



9241/9641 Plain (9251/9651 Arch)



9242/9642 Plain (9252/9652 Arch)

Enjoy the handcrafted quality and rich traditional carriage house style without the maintenance of wood. The American Tradition M 9000 Series doors contain environmentally compliant polyurethane insulation with a 0.081 or 0.096 tested U-Factor. They are available in ten solid and five wood grain colors, with an option to mix and match any combination. (examples: almond boards on a sandstone door or carbon black boards on an american walnut door)





Polar White Almond Sahara Tan Sandstone Bronze Espresso Brown Gray

Charcoal

Carbon Black*







Wood Grain Base & Overlay Colors



Mahogany



Ash



American Walnut



English Oak

Graywood

Color Notes: Wood grain overlays are handcrafted and can vary slightly in color like real wood.

*Carbon Black includes a cool chemistry paint finish but is not recommended for projects with extreme exposures to heat and sunlight.

Due to the printing process, colors may vary. For an accurate color match, contact your Haas Door dealer.



Glazed 6-Pane

Glazed 8-Pane

Glazed Plain

Solid





Glass Options

Insulated - 1/2" tempered (optional)



Clear/Clear



Clear/Frosted



Light Gray/Clear



Light Gray/Frosted



Bronze/Clear



Bronze/Frosted



*Glazed Arch multi-pane window options are not available in the following sizes: 9'8" through 10'7", 14'0" through 15'7" and 18'4" through 20'2" wide

Dark Gray/Clear



Dark Gray/Frosted



Dark Gray/Dark Gray



Clear/Low-E



Clear/Solarban 70

Non-Insulated - 1/8" tempered (standard)



Clear



Light Gray



Bronze



Dark Gray






<u>Obscure</u>



Clear Polycarbonate





Decorative Hardware





Impact Polycarbonate - (UV rating on Clear only)







Clear

Bronze

Dark Gray







Pebble

